## Low Profile Mag Mount Antenna

07/04/2016 v1



Rugged low profile design Covers global cellular / LTE bands Removable magnetic mount


The Panorama LPBEM-7-27 is a range of low cost high performance magnetic mount antennas for temporary fit applications. At only 95mm (3.7") high and protected by a robust high impact radome the antenna is almost impervious to daily wear and tear.

The LPBEM offers excellent performance across a wide bandwidth. The LPBEM-7-27 covers global cellular and LTE frequencies from 698-960 MHz and 1710-2700MHz making it an extremely versatile product. Although intended for magnetic mounting on a conductive ground plane the antenna can also be used for desk mounting applications with some impact on performance.


Supplied with a convenient 2m (6') length of flexible RG174 cable the LPBEM is easy to install and compatible with a large range of modems.

## **Technical Drawing**

LPBEM-7-27-2F shown



## Typical VSWR\*



\*Red VSWR measured on a 1x1m (3x3') diameter ground plane with with 2m (6'6") of RG174 cable. 
\*Green VSWR measured on a 160x160mm (6x6") diameter ground plane with with 2m (6'6") of RG174 cable. 
\*Blue VSWR measured with no ground plane with with 2m (6'6") of RG174 cable.

Part No.		LDDFAA Z OZ OCO	100FM 7 07 05	
Electrical Data		LPBEM-7-27-2SP	LPBEM-7-27-2F	
Frequency Range	/MH <sub>2</sub> )	608 060	/ 1710 2700	
Operational Band		698-960 / 1710-2700 700/800/900/1800/1900/2100/ 2400/2600		
Peak Gain (excluding cable loss)	698-960 MHz	3dBi		
		4dBi		
	1710-2170 MHz			
	2170-2700 MHz	5dBi		
Typical VSWR*		<2.5:1		
Polarisation		Vertical		
Pattern		Omni-directional Control Contr		
Impedance		50Ω		
Max Input Power (W)		25		
Mechanical Data				
Dimensions (mm)	Height	95 (3.7")		
	Diameter	48 (1.89")		
Operating Temp (°C)		-40°/+80°C ( -40°/176°F )		
Material		UV stable ASA & Aluminium		
Colour		Black		
Approx Weight (g)		150		
Ingress Protection		Equivalent to IPX6		
Mounting Data				
Fixing		Magnetic mount		
Max Speed (KM/h)		160 (100 Mph)		
Cable & Connecto	r Data			
Cable Type		RC	RG174	
Cable Diameter (mm)		2.8	2.8 (0.1")	
Cable Length (m)		2 (6	2 (6.6′)**	
Termination		SMA Plug**	FME Jack**	

<sup>\*\*</sup>Other cable lengths and connectors available on request.



Panorama Antennas Ltd

Frogmore, London, SW18 1HF, United Kingdom

T: +44 (0)20 8877 4444 F: +44 (0)20 8877 4477 E: sales@panorama-antennas.com www.panorama-antennas.com

Waiver: The data given above is indicative of the performance of the product/s under particular conditions and does not imply a guarantee of performance. These specifications are subject to change without notice.

Copyright  ${\hbox{$\mathbb Q$}}$  Panorama Antennas Ltd. All rights reserved.