

| HDMI wallplate modules

New

HDMI A Female / Female - 8K



- Keystone Jack coupler
- Module dimensions : 45 x 45 mm
- Maximum resolution :
 - ULTRA HD 8K : 7680x4320p @60 Hz **or**
 - ULTRA HD 4K : 3840x2160p @120 Hz
- Mounted on a LEGRAND blank plate

Part number

902839

New

HDMI A Female / Female - 8K



- Module dimensions : 45 x 45 mm
- Maximum resolution :
 - ULTRA HD 8K : 7680x4320p @60 Hz **or**
 - ULTRA HD 4K : 3840x2160p @120Hz
- 2.1 compatible
- Mounted on a LEGRAND blank plate

Part number

0,20 m

902869

HDMI A Female / Female - 4K



- Module dimensions : 45 x 45 mm
- Maximum resolution :
 - ULTRA HD 4K : 3840x2160p @60 Hz
- 2.0 compatible
- Mounted on a LEGRAND blank plate

Length

Part number

0,20 m

902842

HDMI A Female / Female - 4K



- Module dimensions : 45 x 22.5 mm
- Maximum resolution :
 - ULTRA HD 4K : 3840x2160p @60Hz
- 2.0 compatible
- Mounted on a LEGRAND blank plate

Length

Part number

0,20 m

902852

HDMI A Female / Female - 4K



- Straight HDMI connector
- Module dimensions : 45 x 45 mm
- Maximum resolution :
 - ULTRA HD 4K : 3840x2160p @60 Hz
- 2.0 compatible
- Mounted on a LEGRAND blank plate

Part number

902853

HDMI A Female / Female - 4K



- Elbowed HDMI connector
- Module dimensions : 45 x 45 mm
- Maximum resolution :
 - ULTRA HD 4K : 3840x2160p @60 Hz
- 2.0 compatible
- Mounted on a LEGRAND blank plate

Part number

902856

HDMI A Female / Female - 4K



- Module dimensions : 45 x 45 mm
- Maximum resolution :
 - ULTRA HD 4K : 3840x2160p @60 Hz
- 2.0 compatible
- Compatible with LEGRAND and Schneider-Electric wallplates

Length

Part number

0,10 m

2802

HDMI A Female / Female - 4K



- Module dimensions : 45 x 22.5 mm
- Maximum resolution :
 - ULTRA HD 4K : 3840x2160p @60 Hz
- 2.0 compatible
- Compatible with LEGRAND and Schneider-Electric wallplates

Length

Part number

0,10 m

722832

| HDMI wallplate modules

Wallplate : 2 x HDMI A Female / Female - 4K



- Wallplate dimensions : 80 x 80 mm
- Maximum resolution :
ULTRA HD 4K : 3840x2160p @60 Hz
- Fixing screws provided
(distance between fixing screws : 60mm)

Length	Part number
0,15 m	2812


HDMI A Female - FULL HD



- Wallplate module to be wired
- Module dimensions : 45 x 45 mm
- 20 numbered screw terminal blocks
- Mounted on a standard blank plate, compatible with LEGRAND wallplates
- Maximum resolution :
FULL HD - 1920x1080p @ 60 Hz
- Compatible with HDMI cable
(part number 7885)

Part number
902800

HDMI A Female - FULL HD



- Wallplate module to be wired
- Module dimensions : 45 x 45 mm
- 20 numbered screw terminal blocks
- Mounted on a LEGRAND blank plate
- Maximum resolution :
FULL HD - 1920x1080p @ 60 Hz
- Compatible with HDMI cable
(part number 7885)

Part number
2801



Compatible with Erard HDMI cable (pg. 79) and Erard Flex Integration kits (pg. 17)

Performance table for HDMI connections via wallplate module

		IN (upstream)	OUT (downstream)	
		Copper cable	Copper cable	
Signal	4K - 3840x2160p@60Hz			
Lengths		2m	from 2m to 10m	from 15m to 20m
Part numbers	Wallplate modules 2802 / 902842	7825	HDMI 4K cables - IMMUNITY (p15)	HDMI 4K cables - IMMUNITY (p15)
Result			OK	1920x1080p - FULL HD
Signal	8K - 7680x4320p@60Hz			
Lengths		2m	2m	from 3m to 7m50
Part numbers	902869	726867	726867	HDMI 8K cables - PREMIUM (p12)
Result			OK	3840x2160p@60Hz - 4K
		IN (upstream)	OUT (downstream)	
		Copper cable	AOC cable	
Signal	4K - 3840x2160p@60Hz			
Lengths		2m	from 10m to 100m	
Part numbers	Wallplate modules 2802 / 902842	6850	AOC HDMI 4K cables - 2.0 (p18)	
Result			OK	
Signal	8K - 7680x4320p@60Hz			
Lengths		2m	from 10m to 100m	
Part numbers	902839	726862	AOC HDMI 4K cables - 2.0 (p18)	
Result			OK	
		IN (upstream)	OUT (downstream)	
		Copper cable	AOC cable	
Signal 4K	4K - 3840x2160p@60Hz			
Lengths		5m	from 10m to 100m	
Part numbers	Wallplate module 902842	726872	AOC HMDi 4K cables - 726818 series (p18)	
Result			OK	
Signal	8K - 7680x4320p@60Hz			
Lengths		1m50	from 5m to 100m	
Part numbers	Wallplate module 902839	726859	AOC HMDi 8K cables - 726862 series (p13)	
Result			OK	

This table provides the resolutions obtained with a “video channel” created with a copper or AOC cable (upstream), a 4K or 8K HDMI wallplate and a copper or AOC HDMI cable (downstream), directly connected to a screen.

| USB wallplate modules

USB A Female / Female - USB 2.0



- Module dimensions : 45 x 45 mm
- USB version 2.0
- Data transfer rate : 480 Mbps
- Compatible with LEGRAND and Schneider-Electric wall plates

Length	Part number
0,10 m	2804

USB A Female / Female - USB 3.0



- Module dimensions : 45 x 45 mm
- USB version 3.2 GEN 1
- Data transfer rate : 5 Gbps
- Mounted on a LEGRAND blank plate

Length	Part number
0,20 m	902844



USB A Female / Female - USB 3.0



- Module dimensions : 45 x 22.5 mm
- USB version 3.2 GEN 1
- Data transfer rate : 5 Gbps
- Mounted on a LEGRAND blank plate

Length	Part number
0,20 m	902854



USB A Female / Female - USB 3.0



- Module dimensions : 45 x 22.5 mm
- USB version 3.2 GEN 1
- Data transfer rate : 5 Gbps
- Compatible with LEGRAND and Schneider-Electric wall plates

Length	Part number
0,20 m	722834



New

USB B Female / USB A Female - USB 2.0



- Module dimensions : 45 x 45 mm
- USB version 2.0
- Data transfer rate : 480 Mbps
- Mounted on a LEGRAND blank plate

Length	Part number
0,20 m	902821

USB C Female / Male - USB 3.0




- Module dimensions : 45 x 45 mm
- USB version 3.2 GEN 1
- Data transfer rate : 5 Gbps
- Video modes : Alternate mode
- Mounted on a LEGRAND blank plate
- Charge capacity 3A – Power Direct 60W

Length	Part number
0,20 m	902851



| USB wallplate modules for charging


New 2 x USB A Female



- Module dimensions : 45 x 45 mm
Useful depth : 30 mm
- For integration into a cable cover or a box/housing
- Input voltage : 100 - 240V
Output voltage : 5V
- Charge capacity : 2 x 2.1A
- Maximum charging power : 21W

Front (colour)	Part number
White	722836
Black	722828

New USB A + USB C Female



- Module dimensions : 45 x 45 mm
Useful depth : 30 mm
- For integration into a cable cover or a box/housing
- Input voltage : 100 - 240V
Output voltage : 5V
- Charge capacity : 1 x 2.1A + 1 x 3A
- Maximum charging power : 21W

Part number
902837



Wallplates

94

| VGA wallplate modules

VGA + 3.5mm Stereo Jack Female / Female



- Module dimensions : 45 x 45 mm
- Fully wired
- Maximum resolution: 1920x1080p
- Compatible with LEGRAND and Schneider-Electric wall plates

Length	Part number
0,20 m	2803

VGA Female / Female



- Module dimensions : 45 x 22.5 mm
- Fully wired
- Maximum resolution: 1920x1080p
- Compatible with LEGRAND and Schneider-Electric wall plates

Length	Part number
0,20 m	722833

VGA Female / Female



- Module dimensions : 45 x 45 mm
- Fully wired
- Maximum resolution: 1920x1080p
- Mounted on a LEGRAND blank plate

Length	Part number
0,20 m	902840

VGA Female / Female



- Module dimensions : 45 x 22.5 mm
- Fully wired
- Maximum resolution: 1920x1080p
- Mounted on a LEGRAND blank plate

Length	Part number
0,20 m	902850

VGA + 3.5mm Stereo Jack Female / Female



- Module dimensions : 45 x 45 mm
- Fully wired
- Maximum resolution: 1920x1080p
- Mounted on a LEGRAND blank plate

Length	Part number
0,20 m	902843

| Other video wallplate modules

New Display-Port Female / Female



- Module dimensions : 45 x 45 mm
- Display-Port version 1.2
- Maximum resolution :
ULTRA HD 4K : 3840x2160p @60 Hz

Length	Part number
0,20 m	902845

DVI-I Female / Female



- Module dimensions : 45 x 45 mm
- Maximum resolution : 2560x1600p
- Mounted on a LEGRAND blank plate

Part number
0,20 m 902829

New BNC Female / Female



- Module dimensions : 45 x 45 mm
- Impedance : 75 Ω
- Mounted on a LEGRAND blank plate

Length	Part number
0,20 m	902818

New BNC Female / Male



- Module dimensions : 45 x 45 mm
- KX6 cable
- Mounted on a LEGRAND blank plate

Length	Part number
5 m	902819

| Audio wallplate modules

3.5mm Stereo Jack Female / Female



- Module dimensions : 45 x 45 mm
- Nickel plated connectors
- Mounted on a LEGRAND blank plate

Length	Part number
0,20 m	902814

3.5mm Stereo Jack Female / Female



- Module dimensions : 45 x 22.5 mm
- Mounted on a LEGRAND blank plate

Length	Part number
0,20 m	902855

2 x RCA Female / Female



- Module dimensions : 45 x 45 mm
- Nickel plated connectors
- Copper conductor
- Compatible with LEGRAND and Schneider-Electric wall plates

Length	Part number
0,20 m	902822

3.5mm Stereo Jack Female / Female



- Module dimensions : 45 x 22.5 mm
- Compatible with LEGRAND and Schneider-Electric wall plates

Length	Part number
0,10 m	722835

New XLR (3 pin) Female / Female



- Module dimensions : 45 x 45 mm
- Neutrik connectors

Length	Part number
0,20 m	902823


New XLR (3 pin) Female / Female



- Module dimensions : 45 x 45 mm
- 3 pin screw terminal
- Neutrik base

Part number
902824

Audio wallplate - amplified



- 2 inputs: 3.5mm Jack + Bluetooth (version 4.2)
- Faceplate dimensions : 84.5 x 84.5 mm
- Usable depth: 50mm overall (10mm plate)
- Maximum wireless distance : 50m
- 24W adjustable audio amplifier
- DC 24 / 2.1A power supply provided

Part number
902133

Use - Allows an audio source (Bluetooth or Jack cable) to be played on to 2 audio stereo speakers. Ideal AV integration solution for meeting rooms, shops and hotel rooms.



Wallplates

96 | RJ45 wallplate modules

RJ45 Female




- LEGRAND® wallplate module
- Module dimensions : 45 x 45 mm
- Easy assembly on self-stripping terminal blocks

Length	Part number
5 m	902847

| Wallplates for mains power

230V Electrical Socket (2 poles + earth) Female



- LEGRAND® wallplate module
- Module dimensions : 45 x 45 mm
- NF certification
- Automatic terminals

Length	Part number
5 m	902846

| Accessories

Wallplate for cable passage with 2 horizontal brushes



- Wallplate dimensions : 80 x 80 x 10 mm
- Cable entry dimensions : 50 x 40 mm
- 2 mounting screws included

Part number
722859

Wallplate for cable passage with 2 horizontal brushes



- Wallplate dimensions : 160 x 80 x 10 mm
- Cable entry dimensions : 100 x 40 mm
- 2 mounting screws included

Part number
722858

LEGRAND® blank plate



- LEGRAND®
- Dimensions : 45 x 22.5 mm

Part number
902849


LEGRAND® blank plate



- LEGRAND®
- Dimensions : 45 x 45 mm

Part number
902848

Mounting bracket + white frame for wallplate module



- 1 metal screw-mounted bracket + 1 white frame/cover
- External dimensions : 80 x 80 mm
- Internal dimensions : 45 x 45 mm
- Compatible with LEGRAND wall modules

Part number	
Unit price (bulk)	902860
Pack of 10 pcs	
Single unit price	722860