



A	B	C	D	E	F	G	H	J	K																																							
X1  Power supply: 3N~400V 230Vman. 50Hz Rated power : 6800W A: 20A IP24 R 134A Kg: 9.0 The machine will not start if the phases are in-correctly connected or a phase is missing. Check incoming current or alter two phases. Correct connection is indicated by a green LED on K4. Vid fel fasföljd eller om en fas saknas startar EJ aggregatet. Kontrollera inkommande spänning alt. skifta två faser. På K4 skall nu en diod lysa grönt. <table><tr><td colspan="2">ARTIKELNR./ARTICLE NO. E8745064</td></tr><tr><td colspan="2">MÄRKSTRÖM/CURRENT RATING 20A</td></tr><tr><td colspan="2">MEASURING EQUIPMENT</td></tr><tr><td>CURR-TRAFO-SPACE</td><td>ENERGY-METER-SPACE</td></tr><tr><td colspan="2">FAST ANSLUTNING/FIXED CONNECTIONS <125A>125A</td></tr><tr><td colspan="4">CEE-OUTLETS 3-POLE/230V 16A32A63A125A</td></tr><tr><td colspan="4">SCHUKO OUTLETS 2-POLE/230V 16A</td></tr><tr><td colspan="4">CEE-OUTLETS 5-POLE/400V 16A32A63A125A</td></tr><tr><td colspan="2">JFB/RCCB <0,03A>0,3A>0,03A & <0,3A</td></tr><tr><td colspan="4">JFB/RCCB Variable</td></tr><tr><td colspan="4">VIKT/WEIGHT 300kg</td></tr></table>									ARTIKELNR./ARTICLE NO. E8745064		MÄRKSTRÖM/CURRENT RATING 20A		MEASURING EQUIPMENT		CURR-TRAFO-SPACE	ENERGY-METER-SPACE	FAST ANSLUTNING/FIXED CONNECTIONS <125A>125A		CEE-OUTLETS 3-POLE/230V 16A32A63A125A				SCHUKO OUTLETS 2-POLE/230V 16A				CEE-OUTLETS 5-POLE/400V 16A32A63A125A				JFB/RCCB <0,03A>0,3A>0,03A & <0,3A		JFB/RCCB Variable				VIKT/WEIGHT 300kg				RITAD AV/DRAWN BY CG		DATUM/DATE 140126		NEXT SHEET 2		SHEET 1	
									ARTIKELNR./ARTICLE NO. E8745064																																							
									MÄRKSTRÖM/CURRENT RATING 20A																																							
									MEASURING EQUIPMENT																																							
									CURR-TRAFO-SPACE	ENERGY-METER-SPACE																																						
									FAST ANSLUTNING/FIXED CONNECTIONS <125A>125A																																							
									CEE-OUTLETS 3-POLE/230V 16A32A63A125A																																							
									SCHUKO OUTLETS 2-POLE/230V 16A																																							
									CEE-OUTLETS 5-POLE/400V 16A32A63A125A																																							
									JFB/RCCB <0,03A>0,3A>0,03A & <0,3A																																							
									JFB/RCCB Variable																																							
VIKT/WEIGHT 300kg																																																
SIGN		REVISION/ISSUE C 27/5 -15		RITNINGS NR./DRAWING E8745064																																												

INDUSTRIAVFUKTARE
INDUSTRIAL DEHUMIDIFIER
A 700VTI

EL-BJÖRN

www.elbjorn.com

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.




This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

INDUSTRIAVFUKTARE
INDUSTRIAL DEHUMIDIFIER
A 700VT1

EL-BJÖRN
www.elbjorn.com

RITAD AV/DRAWN BY CG	DATUM/DATE 140126	NEXT SHEET 3	SHEET 2
SIGN	REVISION/ISSUE C 27/5 -15	RITINGS NR./DRAWING E8745064	




This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

INDUSTRIAVFUKTARE
INDUSTRIAL DEHUMIDIFIER
A 700VT1

EL-BJÖRN
www.elbjorn.com

RITAD AV/DRAWN BY CG	DATUM/DATE 140126	NEXT SHEET 4	SHEET 3
SIGN	REVISION/ISSUE C 27/5 -15	RITINGS NR./DRAWING E8745064	




This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

INDUSTRIAVFUKTARE
INDUSTRIAL DEHUMIDIFIER
A 700VT1



RITAD AV/DRAWN BY CG	DATUM/DATE 140126	NEXT SHEET 5	SHEET 4
SIGN	REVISION/ISSUE C 27/5 -15	RITNINGS NR./DRAWING E8745064	



This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

INDUSTRIAVFUKTARE
INDUSTRIAL DEHUMIDIFIER
A 700VTI

EL-BJÖRN
www.elbjorn.com

RITAD AV/DRAWN BY CG	DATUM/DATE 140126	NEXT SHEET 6	SHEET 5
SIGN	REVISION/ISSUE C 27/5 -15	RITINGS NR./DRAWING E8745064	

A		B	C	D	E	F	G	H	J	K	
PC.	Position	Description	Type	Manufacturer	Data	Article No.	E-number(SE)	ARTIKELNR/ ARTICLE NO. E8745064			
1	F1	Dvärgbrytare / MCB	iC60N 1P 6kA	Schneider Electric	B 6A	A9F03106	2112002	MÄRKSTRÖM/ CURRENT RATING 20 A			
1	GP01	Duppelpressostat / PressureSwitch (Double)	P78MCB-9300	Kylma		1412622		MEASURING EQUIPMENT			
2	GT01, GT02	Termokontakt / Thermocontact M01-M02		Ziehl-Abegg				CURR- TRAFO- SPACE			
1	GT03	Hetgastermostat / HeatgasThermostat	Scroll ZS/ZF	Ahlsell Kyl		6897720		ENERGY- METER- SPACE			
1	K1	Kontaktor / Contactor	LC1K0610M7	Schneider Electric	20A, 230VAC	LC1K0610M7	3230604	FAST ANSLUTNING/ FIXED CONNECTIONS			
1	K4	Fasföljd/brotts relä / PhaseControllRelay	DPA51CM44	Carlo Gavazzi	3-Fas, 208-480VAC	DPA51CM44		<125A >125A			
1	K5	Socket / Socle	RU2C3M	Schneider Electric	11 Pol	RU2C3M	4020478	CEE-OUTLETS 3-POLE/230V			
1		Insticksrelä / Relay	RUMC3AB1P7	Schneider Electric	3vx, 230V	RUMC3AB1P7	4027857	16A 32A 63A 125A			
1	K6	Tidrelä / Time Relay	DAA01DM24	Carlo Gavazzi	2vx, 24-240VAC	DAA01DM24	4036440	SCHUKO OUTLETS 2-POLE/230V			
1	K7	Tidrelä / Time Relay	EMER8	Crouzet	24-240V	88829198		16A			
1	K8	Tidrelä / Time Relay	RE9TA21MW	Schneider Electric	3-300s	RE9TA21MW	4079150	CEE-OUTLETS 5-POLE/400V			
2	M01, M02	Fläkt / Fan	FC045-4DQ.4C.3	Ziehl-Abegg		125158		16A 32A 63A 125A			
1	M03	Scrollkompressor / ScrollCompressor	ZR 125 KCE TFD	Copland		6858173		JFB/RCCB			
1	P1	Signallampa / Control lamp	TB010 FLOUR 230V	OEM electronics	LINS SD3 GRÖN	TB010		<0,03A >0,3A >0,03A & <0,3A			
3	P2-P4	Signallampa / Control lamp	TB010 FLOUR 230V	OEM electronics	LINS SD3 RÖD	TB010		JFB/RCCB Variable			
1	Q2	Kontaktor / Contactor	LC1DT25P7	Schneider Electric	25A, 4SI + 2SI	LC1DT25P7	3232134	VIKT/WEIGHT			
1	Q3	Kontaktor / Contactor	LC1D38P7	Schneider Electric	38A, 18,5kW	LC1D38P7	3233054	300 kg			
1	QF3	Överströmsrelä / Thermal Overload Relay	LRD22	Schneider Electric	16-24A	LRD22	3234326				
1	S1	Vippströmbrytare / Switch	ON/OFF	Nedis	2-P, 16A	255554					
1	X00	Stickpropp / Plug	432P6	ABB	32A, 400V, IP44	432P6	1960133				
3	X1	Radplint / Terminal	Grå / Grey	Schneider Electric	10mm²	NSYTRV102	2916242				
1		Radplint / Terminal	Blå / Blue	Schneider Electric	10mm²	NSYTRV102BL	2916243				
1		Radplint / Terminal	Gul/Grön / Yellow/Green	Schneider Electric	10mm²	NSYTRV102PE	2916244				
25		Radplint / Terminal	Grå / Grey	Schneider Electric	4mm²	NSYTRV42	2916254				
6		Radplint / Terminal	Blå / Blue	Schneider Electric	4mm²	NSYTRV42BL	2916255				
1		Radplint / Terminal	Gul/Grön / Yellow/Green	Schneider Electric	4mm²	NSYTRV42PE	2916257				
This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.				INDUSTRIAVFUKTARE INDUSTRIAL DEHUMIDIFIER A 700VTI		 www.elbjorn.com		RITAD AV/DRAWN BY CG	DATUM/DATE 140126	NEXT SHEET 7	SHEET 6
								SIGN	REVISION/ISSUE C 27/5 -15	RITNINGS NR./DRAWING E8745064	

A	B	C	D	E	F	G	H	J	K			
									ARTIKELNR./ ARTICLE NO. E8745064			
									MÄRKSTRÖM/ CURRENT RATING 20A			
									MEASURING EQUIPMENT			
									CURR.- TRAFO- SPACE	ENERGY- METER- SPACE		
									FAST ANSLUTNING/ FIXED CONNECTIONS			
									<125A	>125A		
									CEE-OUTLETS 3-POLE/230V			
									16A	32A	63A	125A
									SCHUKO OUTLETS 2-POLE/230V			
									16A			
									CEE-OUTLETS 5-POLE/400V			
									16A	32A	63A	125A
									JFB/RCCB			
									<0,03A	>0,3A	>0,03A & <0,3A	
									JFB/RCCB Variable			
									VIKT/WEIGHT			
									300	kg		