



KPWL1.5PEN

1.5W LED Pen Light, 40000hrs, 6500k



Product Overview

The Kosnic Rechargeable LED Penlight is a compact useful light source for work and for the home when a temporary light source is required. The 1.5W Penlight includes a high capacity lithium-ion battery allowing the main light to work continuously for 3.5 hours or the torch beam to work continuously for 4.5 hours. The Penlight includes a pocket clip with an integrated magnet moulded into the top.

Features

120 lm main side light / 80 lm torch beam

Class III, IP20

USB charging lead (charger not supplied)

Charging indicator

Main side light or torch beam

Pocket clip with integrated magnet

High impact ABS housing (IK07)

Polycarbonate lens

Instant start.

Negligible UV output

Mercury free



Specifications

Power (W)	1.5
Current (mA)	357
Voltage	4.2 Vdc
CCT Temperature (k)	6500
CCT Name	Day Light
Rated Lifetime (hrs)	40000
Switch Cycles	20000
Beam Angle (°)	120 (main) 15 (torch)
CRI	81
Dimmable	No
IP Rating	IP20
Class Protection	Class III
IK Rating	IK07
Warm-up Time (s)	Instant full light
Width (mm)	22
Height (mm)	170
Depth (mm)	26
Weight (kg)	0.057
Mercury (mg)	0
Rated Luminous Flux (lm)	120 (main) 80 (torch)
LMF at Lifetime	0.75
Ambient Temperature (°C)	-10 to 40
Operating Modes	3.5 hours (main) 4.5 hours (torch)
Battery Voltage (V)	3.7
Battery Capacity (mAh)	750

Unit D2 Kennetside, Bone Lane
Newbury, Berkshire

T: 01635 523 713 E: sales@kosnic.com W: <http://www.kosnic.com>

Battery Type	Lithium-Ion
USB Charging Input Voltage	5 Vdc
Charging Time (hrs)	2.5 (at 1.0A)



Datasheet generated from <http://www.electrika.com> last updated Thursday, August 30, 2018 3:48:27 PM



This luminaire
contains built-in
LED lamps.



The lamps cannot be changed
in the luminaire.

Kosnic (Product Code)

874/2012