

GP Design

PRODUCT SPECIFICATION

GP Design Prosumer Flashlight
Model : **PP16**

Revision History

Revision	Date	Initiator	Reason for Change
1.0	9 th Nov 2016	Wilfred Kong	Preliminary release

Prepared By	Approved By
Wilfred Kong	Wilfred Kong
Date: 10 th Nov 2016	Date: 11 th Nov 2016

GPI International Limited

Email: gpii@goldpeak.com
Website: <http://www.gpbatteries.com>

GP Design

Product Specification


Model no.: **PP16**



Front view



Rear view



Product Name	: GP Design Prosumer Flashlight – Penlight
Lumen output*	: 140 – 20 lm (+/- 15%)
Candela*	: 890 cd (+/- 15%)
Beam Distance*	: 55 m (+/- 15%)
Runtime*	: 100%: 3 h 30 m, 15%: 9 h (+/- 15%)
LED Chips	: Cree XP-E2
Battery type	: 2 x AAA (Alkaline / NiMH)
Focus	: Yes
Switch	: Single Switch
Light mode	: 1. On-Off 2. 100% - 15%

GPDesign

Product Specification

Model no.: **PP16**

IP rate*	: IPX-4, water resistant
Shock proof*	: Impact resistant, 2 m
Dimensions	: 141.5 (L) x 16.2 (D) mm
Weight	: 46g +/- 5g (without battery)
Accessories Included	: Clip, O-ring x 2, 2 x AAA (GP24AU)
Certification	: CE, ROHS
Warranty Period	: 12 months from ex-factory date

*Per ANSI FL1 Standard