TUNGSRAM

Innovation is our heritage EST. 1896



PAR 36 4593 28.0V 24887

Product information

PAR lamps provide a robust and flexible design solution for a wide range of applications. Choice of PAR36, PAR46, PAR56 or PAR64

- 3000 K or 4200 K colour temperature
- · Choice of beam widths
- · Excellent colour rendering
- High efficiency combined with low operating costs
- Robust and reliable
- UV control
- Easy retrofit
- Colour consistent throughout life
- · Colour blends with halogen and fluorescent

Application areas



Club and Disco







Product data

Product Code	24887
Bulb Shape	PAR
Bulb Diameter [mm]	114.3
Maximum Overall Length [mm]	70
Net weight per piece [g]	248
Gross weight per piece [g]	267
Brand	GE Lighting
Cap/Base	Screw terminal

Performance data

Nominal/ Rated Beam Angle [°]	60
Nominal center beam candlepower (CBCP) [cd]	1500

Electrical data

Lamp Current [A]	1.79
Coil type	CC-6
Dimming Capability	Yes
Ballast Required	Yes
Nominal power [W]	50.0
Nominal lamp voltage [V]	28



Logistic data

DUN Code	00043168248877
EAN Code	5021731314025
Pack Quantity	12
Layer quantity	144 EUR, 240 UK
Layer quantity EUR	144
Layer quantity UK	240
Pallet quantity EUR (PC)	720
Pallet quantity UK (PC)	1200
Outer case size	221 x 211 x 312 (mm)
Product status	Available

Downloads & Links

Go to the catalog site (HTTP)

Entertainment Solution Spectrum Catalogue (PDF)

Lighting design tools & calculators (HTTP)

Lighting design tools & calculators (HTTP)

Entertainment Pocket brochure (PDF)

High-res images / Technical drawings (HTTP)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)

Disclaimer

Special Purpose Lamp, Not suited for household illumination